Cover Letter

Cover letter regarding PMN TS SK22BZ 11 July 2013

Good afternoon:

I am submitting a PMN that I thought was originally submitted on 29 March 2013. On that date, I submitted the PMN and received an e-mail confirming receipt; a copy of the text of that e-mail is pasted below:

"The Original document for CDX Transaction ID _2bc712ba-5844-497f-9c37-5846375ae519 was submitted to eTSCA on 03/29/2013 at 10:08:51 EDT

Document Id: _a1199fe5-cdc1-4503-bb45-9ca908ef1489

Document Name: AlPhos_finalized.pmn_tsca"

I understood this to mean that my PMN and attachments had been submitted and was proceeding through the review process. In mid-June, I checked with our technical consultant, who asked me for the PMN number that I should have received. I searched, but realized that notification of the PMN number was never received, so we began investigating the issue. We now understand that our document failed in some way during the submission process and, although we have already waited more than 90-days, our new chemical has yet to be reviewed. Note that we never received any notification that the document failed to be delivered to EPA at any step of the process and since EPA does not allow third parties (who are experts on new chemical submissions) to be the primary point of contact, I had no way of knowing that I should have received more information. After discussing the issue with EPA, we understand that we should have been contacted by one of EPA's contractors who are meant to monitor the process and notify submitters of such issues.

Due to these problems, which seem to be completely beyond our control, we respectfully request an expedited review of the subject PMN. Please call either Beth Bosley or David Diefenthal with any questions.

Best regards,
David Diefenthal Beth Bosley
615.519.3732 724.612.5766



	Form Approved. O.M.B. Nos. 2070-0012 and 2070-0038										
U.S. ENVIRONMENT	TAL PROTECTION A	AGENC	Υ			AGE	NCY USE ONLY				
Sulten Stalien	PREM	IANUFA		E	Date o	of receipt:					
EPA	FOR NEW O	NOTIC									
	FOR NEW CI	HEMICAL		ANCES by US Mail:							
completed, Office of Pollic	ution Prevention and Toxics introl Office (7407M) Constitution Ave NW	Document	of Pollution Prevention and Toxics nent Control Office (7407M)			Submiss	ion Report Number				
form to: WASHINGTO			TON, D.C. 2	rivania Ave NW 20460	ALP	H1307119	79972581				
Total Number of Pages	User I	Fee Paym	nent ID N	umber			TS Number				
39	000723					SK22BZ					
You must provide all information requested in this form to the extent that it is known to or reasonably ascertainable by you. Make reasonable estimates if you do not have actual data. Before you complete this form, you should read the "Instructions Manual for Premanufacture Notification" (the Instructions Manual is available from the Toxic Substances Control Act (TSCA) Information Service by calling 202-554-1404, or faxing 202-554-5603). If a user fee has been remitted for this notice (40 CFR 700.45), indicate in the boxes above the TS-user fee identification number you have generated. Remember, your user fee ID number must also appear on your corresponding fee remittance. For mailing address information see the Help instructions in the e-PMN tool.											
Part I – GENERAL INFORMATION TEST DATA AND OTHER DATA											
You must provide the currently correct Chemical Abstracts (CA) Name of the new chemical substance, even if you claim the identity as confidential. You may authorize another person to submit chemical identity information for you, but your submission will not be complete and the review will not begin until EPA receives this information. A letter in support of your submission should reference your TS user fee identification number. For all Section 5 Notice submissions (paper or electronic) you must submit an original notice including all test data; if you claimed any information as confidential, an original sanitized copy must also be submitted.											
Part II – HUMAN EXPOSI RELEASE	URE AND ENVIRONMEN	ITAL		•		low any inclu	ded in this notice)				
If there are several manufactube described in Part II, section the sections as needed.				Environmental fate d	ata	Other Data					
Part III – LIST OF ATTAC	HMENTS			Health effects data	1-4-		Risk Assessments				
For paper submissions, attach enough space to answer a que sheet with the corresponding s	estion fully. Label each contin	uation	X	Environmental effect Physical/Chemical located on the last	Propertie		Structure/activity relationships and chemical properties worksheet is				
attachments, any test data or information included in the not				Test data not in the p	ossessio	on or control of	the submitter				
OPTIONAL INFORMATIO		oidor in		ТҮР	E OF NO	TICE (Check	Only One)				
You may include any informat evaluating the new substance been provided for you to desc	. On page 11 of this form, spa		X	PMN (Premanufactu	re Notice)					
recycling information you may "Binding" boxes are included t	have regarding the new substroughout this form for you to)		SNUN (Significant N	ew Use N	lotice)					
indicate your willingness to be make in this section, such as a continuous to the intention in	use, production volume, prote	ective		TMEA (Test Marketin	ng Exemp	otion Applicatio	on)				
equipment The intention is accompany the development use Rules. Checking a "bindir	of consent orders or Significar	nt New		LVE (Low Volume Ex	xemption) @ 40 CFR 72	23.50(c)(1)				
prohibit the submitter from late (except chemical identity) repo	er deviating from the information orted in the form; however, in	on the		LOREX (Low Release	e/Low Ex	cposure Exemp	otion) @ 40 CFR 723.50(c)(2)				
case of exemption application certain information provided in	such notifications is binding	on the		LVE Modification							
submitter when the Agency ap especially if the production vol LVE.				LOREX Modification							
CONFIDENTIALITY CLAI	MS			Mock Submission							
You may claim any information assert a claim on the form, ma	n in this notice as confidential		Ш	Mark (X) if pending	-						
the information that you claim an attachment, circle or brack	as confidential. To assert a clet the information you claim a	laim in s		# of chamicals or			ammunication # required anter # ar				
confidential. If you claim inform you must also provide a saniti	zed version of the notice, (inc	luding		# of chemicals or p. 3).	polymers	ь (Ртепойсе Сс	ommunication # required, enter # on				
attachments). For additional ir as confidential, read the Instru		ation	X	Mark (X) if any inform	nation in	this notice is cl	aimed as confidential.				



The public reporting and recordkeeping burden for this collection of information is estimated to average 93 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed EPA Form 7710-25 to this address.

CERTIFICATION -- A printed copy of this signature page, with original signature, must be submitted with CD or paper submission.

I certify that to the best of my knowledge and belief:

- 1. The company named in Part I, section A, subsection 1a of this notice form intends to manufacture, import or process for a commercial purpose, other than in small quantities solely for research and development, the substance identified in Part I, Section B.
- 2. All information provided in this notice is complete and truthful as of the date of submission.
- 3. I am submitting with this notice all test data in my possession or control and a description of all other data known to or reasonably ascertainable by me as required by §720.50 of the Premanufacture Notification Rule.

Additional Certification Statements:								
	submitting a PMI n statement that		PMN, Consolida	ted PMN, or S	SNUN, c	heck the following user	fee	
	The Company name	ed in Part I, Section	A has remitted the fe	ee of \$2500 speci	ified in 40	CFR 700.45(b), or		
	The Company name accordance with 40		A has remitted the fe	ee of \$1000 for ar	n Intermed	diate PMN (defined @ 40 CFR	700.43) in	
X	The Company named in Part I Section A is a small business concern under 40 CFR 700.43 and has remitted a fee of \$100 in accordance with 40 CFR 700.45(b).							
If you are submitting a Low Volume Exemption (LVE) application in accordance with 40 CFR 723.50(c)(1) or a Low Release and Low Exposure Exemption (LoRex) application in accordance with 40 CFR 723.50(c)(2), check the following certification statements:								
	The manufacturer submitting this notice intends to manufacture or import the new chemical substance for commercial purposes, other than in small quantities solely for research and development, under the terms of 40 CFR 723.50.							
	The manufacturer i	is familiar with the te	erms of this section a	nd will comply wit	th those to	erms; and		
	The new chemical	substance for which	h the notice is submit	ted meets all app	licable ex	emption conditions.		
						urer intends to commence mar ration of the 30 day review per		
The accuracy of the statements you make in this notice should reflect your best prediction of the anticipated facts regarding the chemical substance described herein. Any knowing and willful misrepresentation is subject to criminal penalty pursuant to 18 USC 1001.								
Authorized C	Signature and title of Authorized Official (Original Signature Required) Date							
				,				



Socti	ion /	A – SUBMITTER II		NTIFIC			ERAL II	NFORMATION					
Seci	OH F						xt to any s	subsection you clai	m as co	nfidential			
1a.		Person Submitt	inç	g Notice	e (in l	J.S.)					Confidential		
Name	of Au	uthorized Official		(first) Day	/id			(last) Diefen	thal		_		
Positio	on			Presiden	t								
Comp	any			JJI Techr	nologie	s, LLC							
Mailing	g Add	lress (number & street)	1350 Bad	con Ro	ad							
City		Painesville				State	ОН	Postal Code	440	77			
email		dief@bellsouth.net											
b.		Agent (if Applic	ab								Confidential		
Name	of Au	uthorized Official		(first)				(last)					
Positio	on												
Comp	any												
Mailing	g Add	lress (number & street)										
City						State		Postal Code					
e-mail						•	Telepho	one area code)					
C.		Joint Submitter	(if	applica	,								
If you	are s	ubmitting this notice as	otice as part of a joint submission, mark (X)										
Name	of Au	uthorized Official	cial (first) (last)										
Positio	on												
Compa	pany												
Mailing	g Add	Address (number & street)											
City						State		Postal Code					
e-mail	1						Telepl	none					
							(includ	de area code)					
2.		Technical Conta	act					(last)			Confidential		
Name	of Au	uthorized Official		(first) Bet	h			(last) Bosley	<u>'</u>				
Position	on			Presiden	t								
Comp	any			Boron Sp	ecialtie	es							
Mailin	g Ado	Iress (number & street)	1350 Bad	con Ro	ad							
City		Painesville				State	ОН	Postal Code	440	77			
e-mail		44077					Telepho	one area code)	724	-612-5766			
		ou have had a prenotic						4.04.0540)	1	Mark (X) if none	Confidential		
3.		notice and EPA assigner the number.	nec	l a PC Nui	mber to	o the notice,				X			
		ou previously submitted								Mark (X) if none	Confidential		
4.	chemical substance covered by this notice, enter the exemption number assigned by EPA. If you previously submitted a PMN for this substance enter the PMN number												
	assigned by EPA (i.e. withdrawn or incomplete).												
5.		ou have submitted a no nufacture or import for					XXX			Mark (X) if none	Confidential		
0.		his notice, enter the no									X		
6.						Type	of Notic	ce – Mark (X)					
1.	Mar	nufacture Only	Χ]	2.	Import Only			3.	Both			
1.	Bind	ding Option]		Binding Option	n		J.				



SANITIZED SUBMISSION

Part I – GE	NERAL INFORM					
Section B – CHEMICAL IDENTITY INFORMATION:	You must provide a based on current C				e of the sul	ostance
Mark (X) the "Confid	dential" box next to an	y item you clair	m as confidential			
Complete either item 1 (Class 1 or 2 substances) or 2 (F	Polymers) as appropri	ate. Complete	all other items.			
If another person will submit chemical identity informatic the name, company, and address of that person in a co	ntinuation sheet.	em 1 or 2), ma	rk (X) the box at th	e right. Identif	У	
 Class 1 or 2 chemical substances (for definitions of 2 substances, see the Instructions Manual) 	class 1 and class	Class 1	I	Class 2		СВІ
a. Class of substance - Mark (X)		X				
 b. Chemical name (Currently correct Chemical Abstraction substances. For Class 1 substances a CA Index National Preferred Name must be provided, which ever is approximately provided. 	me must be provided.	For Class 2 su	bstances either a	CA Index Nam	e or CA	X
XXX						
CAS Registry Number (if a number already exists fo	r the substance)	XXX				
c. Please identify which method you used to develop o	r obtain the specified	chemical identi	ty information repo	orted in this not	ice: (check	one).
Method 1 (CAS Inventory Expert Service - a copy of Identification report obtained from the CAS Inventory Services must be submitted as an attachment to this	y Expert X	IES Order Number	321142	Method 2 (Other Source)		
Enter Attachment filename for Part I, Section B, 1. c.		IES_Report_D	P-111 SANITIZED).jpg		
d. Molecular formula XXX						X
e. For a class 1 substance, provide a complete and co representative or partial chemical structure diagram,						
See Attachment 001 (Structure for PMN_SANITIZED.pd	aff)					
Enter Attachment filename for Part I, Section B, 1. e.		Structure for	or PMN_SANITIZE	D.pdf		



PMN Page 4a

For a class 2 substance - (1) List the immediate precursor substances with their respective CAS Registry Numbers. (2) Describe the nature of the reaction or process. (3) Indicate the range of composition and the typical composition (where appropriate).	Confidential
e. (1) List the immediate precursor substance names with their respective CAS Registry Numbers.	
Enter Attachment filename for Part I, Section B, 1. e. (1)	
e. (2) Describe the nature of the reaction or process.	
Enter Attachment filename for Part I, Section B, 1. e. (2)	
e. (3) Indicate the range of composition and the typical composition (where appropriate).	
Enter Attachment filonome for Part I. Section P. 1 .e. (2)	



		Par	t I GENERAL IN	NFORMA		Con	tinued				
			ITY INFORMATION -		ed						
			see the Instructions Manua of the lowest molecular we		tion of the no	lymer v	ou intend to	manufactu	re	Confide	ntial
Indicate maximu	m weight pe	ercent of I	low molecular weight speci molecular weight of that co	ies (not inclu							
		Des	scribe the methods of meas	surement or t	he basis for y	our es	timates:				
GPC		Other	(Specify Below)								
Specify Other:											
(i) lowest number a	-	lecular	(ii) maximum weight ^o	% below 500 ight:	molecular	(iii) maximum w	reight % be weight		00 molecu	ılar
			I, Section B, 2. a.								
 b. You must make separate confidentiality claims for monomer or other reactant identity, composition information, and residual information. Mark (X) the "Confidential" box next to any item you claim as confidential (1) - Provide the specific chemical name and CAS Registry Number (if a number exists) of each monomer or other reactant used in the manufacture of the polymer. (2) - Mark (X) this column if entry in column (1) is confidential. (3) - Indicate the typical weight percent of each monomer or other reactant in the polymer. (4) - Choose "yes" from drop down menu if you want a monomer or other reactant used at two weight percent or less to be listed as part of the polymer description on the TSCA Chemical Substance Inventory. (5) - Mark (X) this column if entries in columns (3) and (4) are confidential. (6) - Indicate the maximum weight percent of each monomer or other reactant that may be present as a residual in the polymer as manufactured for commercial purposes. (7) - Mark (X) this column if entry in column (6) is confidential. 											
			actant specific chemical na	ame		CBI (2)	Typical composition (3)	Include in identity (4)	CBI (5)	Max residual (6)	CBI (7)
	egistry Nun										
CAS R	egistry Nun	nber (1)									_
CAS R	egistry Nun	nber (1)									
	egistry Nun	` ,								<u> </u>	
Mark (X) this box if t	he data cor	ntinues or	the next page.								

PMN Page 5a

	IISSION

c. Please identify which method you used to develop or of (check one).	btain the specified chemical	identity information reported in this notice	СВІ
Method 1 (CAS Inventory Expert Service - a copy of the identification report obtained from CAS Inventory Expert Service must be	IES Order Number	Method 2 (other source)	
submitted as an attachment to this notice) Enter Attachment filename for Part I, Section B, 2. c.			
d. The currently correct Chemical Abstracts (CA) name for	or the polymer that is consist	ent with TSCA Inventory listings for similar	
polymers.			
CAS Registry Number (if a number already exists for	·		
 e. Provide a correct representative or partial chemical st ascertained. 	ructure diagram, as complet	e as can be known, if one can be reasonably	
Enter Attachment filename for Part I, Section B	, 2. e.		




PMN Page 6 Part I -- GENERAL INFORMATION -- Continued

Section B CHEMICAL IDENTITY INFORMATION Continued									
3. Impurities (a) - Identify each impurity that may be reasonably anticipated to be present purpose. Provide the CAS Registry Number if available. If there are unit (b) - Estimate the maximum weight % of each impurity. If there are unidentifications are considered as a second consideration of the constant of the con	dentified impurities, ente	er "unidentified."		cial					
Impurity (a)	C	CAS Registry Number (a)	Maximum Percent % (b)	Confi- dential					
Water		7732-18-5	0.1						
XXX		XXX	XXX	Х					
Mark (X) this box if the data continues on the next page.									
Enter Attachment filename for Part I, Section B, 3.									
4. Synonyms - Enter any chemical synonyms for the new chemical identified in subsection 1 or 2. XXX									
Enter Attachment filename for Part I, Section B, 4.									
5. Trade identification - List trade names for the new chemical substance identified in subsection 1 or 2. DP-111									
Enter Attachment filename for Part I, Section B, 5.									
6. Generic chemical name - If you claim chemical identify as confidential, you must provide a generic name for your substance that reveals the specific chemical identity of the new chemical substance to the maximum extent possible. Refer to the TSCA Chemical Substance Inventory, 1985 Edition, Appendix B for guidance on developing generic names. Aluminum phosphate									
Enter Attachment filename for Part I, Section B, 6.									
 Byproducts - Describe any byproducts resulting from the manufacture, processing CAS Registry Number if available. 	g, use, or disposal of the	e new chemical s	ubstance. Prov	ide the					
Byproduct (1)		CAS Reg	istry Number (2)	Confi- dential					
XXX)	ΚΧΧ	Х					
Mark (X) this box if the data continues on the next page									



PMN2013P7			l Page									
Part I GE	ENER	RAL INI	FORM	ATIO	N Co	ntin	ued					
Section C PRODUCTION, IMPORT, AND	USE	INFORM	IATION									
The information on this page refers to consolidated	chemic	al numbe	r(s):	1	2		3	4		5	6	
Mark (X) the "Con	fidentia	al" box ne	xt to any	item y	ou claim a	as conf	identia	<u> </u>				
 Production volume Estimate the maximum production volume for any consecutive 12-month period during For a Low Volume Exemption application, if you che volume and mark (x) in the binding box. If granted, 	g the firs	st three ye have you	ars of prod notice re	duction. viewed a	Estimates	should	be on 1	00% ne	w chem	ical sul	bstance	basis.
Maximum first 12-month production (kg/yr) (100% new chemical substance basis)					ction (kg/yr ance basis		С	onfident	tial		ling Opti //ark (X)	
XXX	XXX							X				
Enter Attachment filename for Part I, Section C	, 1.									CBI		
 2. Use Information You must make separate confidentiality claims for the description of the category of use, the percent of production volume devoted to each category, the formulation of the new substance, and other use information. Mark (X) the "Confidential" Box next to any item you claim as confidential. a. (1)Describe each intended category of use of the new chemical substance by function and application. (2)Mark (X) this column if entry column (1) is confidential business information (CBI). (3)Indicate your willingness to have the information provided in column (1) binding. (4)Estimate the percent of total production for the first three years devoted to each category of use. (5)Mark (X) this column if entry in column (4) is confidential business information (CBI). (6)Estimate the percent of the new substance as formulated in mixtures, suspensions, emulsions, or gels as manufactured for commercial purposes at sites under your control associated with each category of use. (7)Mark (X) this column if entry in column (6) is confidential business information (CBI). (8)Indicate % of product volume expected for the listed "use" sectors. Mark more than one box if appropriate. Mark (X) to indicate your willingness to have the use type provided in (8) binding. (9)Mark (X) this column if entry(ies) in column (8) is (are) confidential business information (CBI). 												
Category of use (1) (by function and application i.e. a dispersive dye for	egory of use (1) Binding Prod % in % of substance expected per use (8)								СВІ			
finishing polyester fibers)	(2)	Mark (X) (3)	% (4)	(5)	ulation (6)	(7)	Site- limited	Con- sumer*	Industrial	Com- mercial	Binding Option	(9)
Flame retardant for industrial plastics			100		XXX	X	10	0	90	0		
* If you have identified a "consumer" use, please prov consumer products. In addition include estimates of the the chemical reactions by which this substance loses	he conc	entration of	of the new	chemica	al substand							
Mark (X) this box if the data continues on the next page		,										
b. Generic use If you claim any category description Read the Instruction Man	of use					ntial, er	nter a ge	eneric d	escriptic	on of the	at categ	ory.
Enter Attachment filename for Part I, Section	C, 2. b.								СВ			7
3. Hazard Information Include in the notice a copy of data sheet, or other information which will be provided regarding protective equipment or practices for the safety hazard information you include. Mark (X) this box if you attach hazard information and the safety hazard information you attach hazard information.	of reason d to any afe hand	person w	ho is reaso	nably li	kely to be	expose	d to this	substa	ial safety nce	у	Binding Mark	





Part II HUMAN EXPOSURE AND ENVIRONMENTAL RELEASE										
Section A INDUSTRIAL	SITES C	ONTROLLE	D BY THE SUB	MITTER				Confidential" be laim as confid		
The information on pages 8 and						3 [4			6
Complete section A for each you control. Importers do not requirements if there are furth instructions manual	have to con	plete this se	ction for operations	s outside tl	ne U.S.; howeve	r, you m	ay sti	II have repor	ting	sites
Operation description a. Identity Enter the identity -	entity of the	site at which	n the operation will	occur.					_	Confi- ential
Name JJI Technologies										
Site address (number and street)	1350 Bacon	Road								
City	Painesville			County		Lake Co	ounty			
State	ОН			ZIP code		44077				
If the same operation will occ sites on a continuation sheet, operations, include all the info	and if any o	of the sites ha	ave significantly dif	ferent prod	duction rates or	nal	1			
Mark (X) this box if the data continues on the next page.										
b. Type Mark (X) Man	ufacturing	X	Processing		Use					
c. Amount and Duration	Complete			T						Confi- ential
1. Batch		(100% su	num kg/batch new chemical ıbstance)	Hours/batch				Batches/year		X
		XXX		XXX			Χ,	XX		
2. Continuous			mum kg/day chemical substance)	Hours/day Days/year						
d. Process description					to indicate your will process description					
chemicals (note freq (3) Identify by number the	n, rail car, tan the approxim ocks (includir uency if not une points of re	k truck, etc.). ate weight (by ng reactants, s ised daily or pe elease, includir	kg/day or kg/batch o olvents, catalysts, etc er batch.).	clude intering a 100% note.), and of along the releases,	ew chemical subst Il products, recycle to the environmen	ance bas streams,	is), ar , and v	nd entry point of wastes. Includ	of all s	starting aning
xxx		1,								X



Diagram of the major unit operation steps					
Diagram of the major unit operation steps.					
See Attachment 002 (PFD_PMN_DP-111_SANITIZED.pdf)					
Enter Attachment filename for Part II, Section A, 1. d.	PFD_PMN_DP-111_SANITIZED.pdf				



PIVIN Page	9
Part II HUMAN EXPOSURE AND ENVIRON	MENTAL RELEASE Continued
Section A INDUSTRIAL SITES CONTROLLED BY THE SUBMI	TTER Continued
The information on pages 9 and 9a refer to consolidated chemical number(s):	1 2 3 4 5 6

- 2. Occupational Exposure -- You must make separate confidentiality claims for the description of worker activity, physical form of the new chemical substance, number of workers exposed, and duration of activity. Mark (X) the "Confidential" box next to any item you claim as confidential.
 - (1) -- Describe the activities (i.e. bag dumping, tote filling, unloading drums, sampling, cleaning, etc.) in which workers may be exposed to the substance.
 - (2) -- Mark (X) this column if entry in column (1) is confidential business information (CBI).
 - (3) -- Describe any protective equipment and engineering controls used to protect workers.
 - (4) and (6) -- Indicate your willingness to have the information provided in column (3) or (5) binding.
 - (5) -- Indicate the physical form(s) of the new chemical substance (e.g., solid: crystal, granule, powder, or dust) and % new chemical substance (if part of a mixture) at the time of exposure.
 - (7) -- Mark (X) this column if entries in columns (3) and (5) are confidential business information (CBI).
 - (8) -- Estimate the maximum number of workers involved in each activity for all sites combined.
 - (9) -- Mark (X) this column if entry in column (8) is confidential business information (CBI).
 - (10) and (11) -- Estimate the maximum duration of the activity for any worker in hours per day and days per year.
 - (12) -- Mark (X) this column if entries in columns (10) and (11) are confidential business information (CBI).

Worker activity	СВІ	Protective Equipment/	Binding Option	Physical form(s) & % new	Binding Option	СВІ	# of Workers	СВІ	Maximum	Duration	СВІ
drums) (1)	(2)	Engineering Controls (3)	Mark (X) (4)	substance (5)	Mark (X) (6)	(7)	Exposed (8)	(9)	Hrs/Day (10)	Days/Yr (11)	(12)
A - packaging product from dryer		Local exhaust ventilation Respirator Tyvek suit Nitrile gloves		Solid, 100%			1		1	190	
		data continues on the next page			1						
Enter Attachment	filena	ame for Part II, Section A on the b	oottom of p	age 9a.							



N2013P9A PMN Page 9a

- 3. Environmental Release and Disposal -- You must make separate confidentiality claims for the release number and the amount of the new chemical substance released and other release and disposal information. Mark (X) the "Confidential" box next to each item you claim as confidential.
 - (1) -- Enter the number of each release point identified in the process description, part II, section A, subsection 1d(3).
 - (2) -- Estimate the amount of the new substance released (a) directly to the environment or (b) into control technology (in kg/day or kg/batch).
 - (3) -- Mark (X) this column if entries in columns (1) and (2) are confidential business information (CBI).
 - (4) -- Identify the media (stack air, fugitive air (optional-see Instruction Manual), surface water, on-sité or off-site land or incineration, POTW, or other (specify)) to which the new substance will be released from that release point.
 - (5) -- a. Describe control technology, if any, and control efficiency that will be used to limit the release of the new substance to the environment. For releases disposed of on land, characterize the disposal method and state whether it is approved for disposal of RCRA hazardous waste. On a continuation sheet, for each site describe any additional disposal methods that will be used and whether the waste is subject to secondary or tertiary on-site treatment. b. Estimate the amount released to the environment after control technology (in kg/day).
 - (6) -- Mark (X) this column if entries in columns (4) and (5) are confidential business information (CBI).
 - (7) -- Identify the destination(s) of releases to water. Please supply NPDES (National Pollutant Discharge Elimination System) numbers for direct discharges or NPDES numbers of the POTW (Publicly Owned Treatment Works). Mark (X) if the POTW name or NPDES # is confidential business information (CBI).

Release Number	Amount Substance	of New Released	СВІ	Medium of release e.g. Stack air	Con	trol technology a optionally a	and efficie attach effi	ency (you n iciency dat	nay wish to a)	СВІ
(1)	(2a)	(2b)	(3)	(4)		(5a)		Binding Mark (X)	(5b)	(6)
1	0.2 kg/batch	0.8 kg/batch		Fugitive Air	Dust c	ollector			0.1 kg/batch	
				on the next page.						
(7) Mark	(X) the des	stination(s)	of releas	ses to water.				NPDES	S#	CBI
	POTWpro name(s)	ovide								
	Navigable v - provide na									
X	OtherSpe	cify	No water	releases expected						
	Enter Attachm	ent filename	for Part II,	Section A.	-					

SANITIZED SUBMISSION

Part II HUMAN EXPOSURE AND ENVIRON		AL RE	LE/	SE -	Conti	nue	d			
Section B INDUSTRIAL SITES CONTROLLED BY OTHERS										
The information on pages 10 and 10a refer to consolidated chemical number(s):	1		2	3		4	5		6
Complete section B for typical processing or use operations involving the new chem complete this section for operations outside the U.S.; however, you must report any Complete a separate section B for each type of processing, or use operation involving more than one site describe the typical operation common to these sites. Identify ad	processir ng the nev ditional si	ng or us w chem tes on a	e act ical s a con	ivities at ubstanc tinuatior	fter imp e. If the n sheet.	ort. Se same	ee the I e opera	nstructio tion is p	ns Ma erform	anual. ied at
1(a). Operation Description To claim information in this section as confide confidential.	ntial, bra	icket (e	.g. {}) the sp	ecific i	nform	ation tl	nat you	claim	as
 (1) Diagram the major unit operation steps and chemical conversions, inclupails, 55 gallon drums, rail cars, tank trucks, etc). On the diagram, identical conversions, inclupails, 55 gallon drums, rail cars, tank trucks, etc). On the diagram, identical conversions, included the identity, chemical substance basis), and entry point of all feedstocks (including restreams, and wastes. Include cleaning chemicals (note frequency if not either in the diagram or in the text field 1(b) below, identify by number the environment of the new chemical substance. (4) Please enter the # of sites (remember to identify the locations of these) 	tify by lett the appro eactants, used dail he points	er and leximate solventy or per of release	oriefly weig ts and r bato ase, ir	descrit ht (by ko d catalys h). ncluding	oe each g/day o sts, etc)	work r kg/ba and a	er activ atch, or all prod	ity. n an 100 ucts, rec	% nev	v
	Nun	nber of	Site	s j	XXX		Conf	idential		X
See Attachment 003 (USE_PFD_PMN_DP-111_SANITIZED.pdf)										
1(b). (Optional) This space is for a text description to clarify the diagram above.							Conf	idential		X
XXX									L	
Enter Attachment filename for Part II, Section B on the bottom of page 10a.	SE_PFD_	PMN [)P-11	1_SAN	ITIZED	.pdf				



Continuation Sheet

ID	P10SB1(a)(4)1	Field	Part II, Section B, 1(a)(4). Operation Site Locations
XXX			



I2013P10A PMN Page 10a

2. Worker Exposure/Environmental Release

- (1) -- From the diagram above, provide the letter for each worker activity. Complete 2-8 for each worker activity described.
- (2) -- Estimate the number of workers exposed for all sites combined.
- (4) -- Estimate the typical duration of exposure per worker in (a) hours per day and (b) days per year.
- (6) -- Describe physical form of exposure and % new chemical substance (if in mixture), and any protective equipment and engineering controls, if any, used to protect workers.
- (7) -- Estimate the percent of the new substance as formulated when packaged or used as a final product.
- (9) -- From the process diagram above, enter the number of each release point. Complete 9-13 for each release point identified.
- (10) -- Estimate the amount of the new substance released (a) directly to the environment or (b) into control technology to the environment (in kg/day or kg/batch).
- (12) -- Describe media of release i.e. stack air, fugitive air (optional-see Instructions Manual), surface water, on-site or off-site land or incineration, POTW, or other (specify) and control technology, if any, that will be used to limit the release of the new substance to the environment.
- (14) -- Identify byproducts which may result from the operation.
 - (3), (5), (8), (11), (13) and (15) -- Mark (X) this column if any of the proceeding entries are confidential business information (CBI).

Letter of Activity	# of Workers Exposed	СВІ		ion of sure	СВІ	Protect	ive Equip./Engineering Controls/Physical Form	% new substance	% in Formulation	СВІ				
(1)	(2)	(3)	(4a)	(4b)	(5)		(6)	(6)	(7)	(8)				
Α	10		1	200		XXX		XXX	XXX	Х				
Release Number			Substan	ce Releas	sed	СВІ		Media of Release & Control Technology						
(0)														
(9)	(10)a)		(10b)		(11)	(12)			(13)				
1	0.2 kg/			(10b) 0.8 kg/bat	ch	(11)	0.2 kg/batch estimated released as a fugitive 0.8 kg/batch estimated released into air hand product captured and (likely) disposed via of	e air emission dling equipment fsite incineration	, with n.	(13)				
					ch	(11)	0.2 kg/batch estimated released as a fugitive	air emission dling equipment fsite incineration	;, with n.	(13)				
					ch	(11)	0.2 kg/batch estimated released as a fugitive	e air emission dling equipment fsite incineration	., with n.	(13)				
					ch	(11)	0.2 kg/batch estimated released as a fugitive	air emission dling equipment fsite incineration	, with n.	(13)				
					ch	(11)	0.2 kg/batch estimated released as a fugitive	e air emission dling equipment fsite incineration	, with	(13)				
					ch	(11)	0.2 kg/batch estimated released as a fugitive	e air emission dling equipment fsite incineration	, with	(13)				
					ch	(11)	0.2 kg/batch estimated released as a fugitive	e air emission dling equipment fsite incineration	;, with	(13)				
1		batch		0.8 kg/bat			0.2 kg/batch estimated released as a fugitive	e air emission dling equipment fsite incineration	, with	(13)				
1	0.2 kg/	batch	ne data co	0.8 kg/bat			0.2 kg/batch estimated released as a fugitive	e air emission dling equipment fsite incineration	(15) CBI	(13)				



SANITIZED SUBMISSION

OPTIONAL POLLUTION PREVENTION INFORMATION

To claim information in the following section as confidential, bracket (e.g. {}) the specific information that you claim as confidential.

In this section you may provide information not reported elsewhere in this form regarding your efforts to reduce or minimize potential risks associated with activities surrounding manufacturing, processing, use and disposal of the PMN substance. Please include new information pertinent to pollution prevention, including source reduction, recycling activities and safer processes or products available due to the new chemical substance. Source reduction includes the reduction in the amount or toxicity of chemical wastes by technological modification, process and procedure modification, product reformulation, and/or raw materials substitution. Recycling refers to the reclamation of useful chemical components from wastes that would otherwise be treated or released as air emissions or water discharges, or land disposal. Quantitative or qualitative descriptions of pollution prevention, source reduction and recycling should emphasize potential risk reduction in addition to compliance with existing regulatory requirements. The EPA is interested in the information to assess overall net reductions in toxicity or environmental releases and exposures, not the shifting of risks to other media (e.g., air to water) or nonenvironmental areas (e.g., occupational or consumer exposure). To the extent known, information about the technology being replaced will assist EPA in its relative risk determination. In addition, information on the relative cost or performance characteristics of the PMN substance to potential alternatives may be provided.

Describe the expected net benefits, such as

- (1) an overall reduction in risk to human health or the environment;
- (2) a reduction in the generation of waste materials through recycling, source reduction or other means;
- (3) a reduction in the use of hazardous starting materials, reagents, or feedstocks;
- (4) a reduction in potential toxicity, human exposure and/or environmental release; or
- (5) the extent to which the new chemical substance may be a substitute for an existing substance that poses a greater overall risk to human health or the environment.

Information provided in this section will be taken into consideration during the review of this substance. See PMN Instructions Manual and Pollution Prevention Guidance manual for guidance and examples.

The flame retardant described in this PMN provides an alternative to toxic b for use in the electrical and electronics industry. DP-111 provides excellent polyamides and polyesters. Based on like structures, DP-111 is expected to during processing and use. In addition, the production methodology for DP-solvents and wash liquors.	mechanical properties while enhancing fire retardancy, especia exhibit low toxicity and produces no discernible toxic byproduc	lly in ts
Enter Attachment filename for Pollution Provention Pro- 44		
Enter Attachment filename for Pollution Prevention Page 11.		



Part III -- LIST OF ATTACHMENTS

Attach continuation sheets for sections of the form, test data and other data (including physical/chemical properties and structure/activity information), and optional information after this page. Clearly identify the attachment and the section of the form to which it relates, if appropriate. Number consecutively the pages of any paper attachments. In the Number of Pages column below, enter the inclusive page numbers of each attachment for paper submissions or enter the total number of pages for each attachment for electronic submissions. Electronic attachments can be identified by filename.

Mark (X) the "Confidential" box next to any attachment name or filename you claim as confidential. Read the Instructions Manual for guidance on how to claim any information in an attachment as confidential. You must include with the sanitized copy of the

notice form a sanitized version of any attachment in which you claim information as confidential.

notic	ce form a sanitized version of any attachment	n which you claim information	as confide		
#	Attachment Name	Attachment Filename	Number of Pages	Associated PMN Section Number	СВІ
001	Structure_DP-111_SANITIZED	Structure for PMN_SANITIZED.pdf	1	Pt.I, Sec.B, 1e.	
002	Manufacturing process flow diagram SANITIZED	PFD_PMN_DP- 111_SANITIZED.pdf	1	Pt.2, Sec.A, 1d.	
003	Use Process Flow Diagram DP-111 SANITIZED	USE_PFD_PMN_DP- 111_SANITIZED.pdf	1	Pt.2, Sec.B, 1a.	
004	IES Report DP-111 SANITIZED	IES_Report_DP-111 SANITIZED.jpg	1	Pt.I, Sec.B, 1c.	
005	DP-111 Infrared spectrum SANITIZED	DP-111 FTIR SANITIZED.jpg	1		
006	DP-111 Thermogravimetric analysis spectrum SANITIZED	DP-111 TGA SANITIZED.jpg	1		
007	DP-111 MSDS	DP-111 MSDS 7-30-12r7.pdf	5		
800	Particle size distribution	Particle_size.pdf	1	Worksheet: Particle size distribution	
	Mark (X) this box if the data continues on the r	next page.	1		



PMN2013P13

PMN Page 13

	PHYSICA	AL AND	CHEMICA	L PROPER	TIES WC	RKSHEE	T		
The information on this	page refers to ch	emical r	number(s):	<u> </u>	2	3	4	5 6	
To assist EPA's review of ph notice. Identify the property r property is claimed as confid provided. These measured p formulations should be so no you do so, as it will simplify the supplement to your submissi	neasured, the value of ential. Give the attac properties should be for ted (% PMN substant the review and ensure	of the prophment number the near the near the near the near that continuity.	perty, the units mber (found o at (100% pure) You are not re fidential inform	s in which the p n page 12) in c ochemical subsequired to sub- nation is proper	property is no column (b). stance. Prop mit this work rly protected	neasured (as The physica perties that a ksheet; how d. You shoul	s necessary), I state of the r are measured ever, EPA stro	and whether or neat substance : for mixtures or ongly recommer	not the should be
Property (a)		Unit	Mark X if Provided	Attachment Number (b)		Value (c)		Measured or Estimate (M or E)	CBI Mark (X) (d)
Physical state of neat sub	estance				(solid)	(liquid)	(gas)	Measured	
Vapor Pressure @ Temperature		°C					Torr		
Density/relative density					0.673		g/cm3	Measured	
Solubility									
@ Temperature	25	°C			1.6		g/L	Measured	
Solvent	DMSO								
Solubility in Water @ Temperature	25	°C			<2		g/L	Measured	
Melting Temperature					320 (dec)		°C	Measured	
Boiling / Sublimation temperature @		Torr					°C		
Spectra				xxx	XXX				X
Dissociation constant									
Octanol / water partition o	coefficient								
Henry's Law constant									
Volatilization from water									
Volatilization from soil									
pH@ concentration	10%				3.5			Measured	
Flammability	•								
Explodability					MIE - 1.2	mJ		Measured	
Adsorption / Coefficient									
Particle Size Distribution			X	008	ave = 10-	15 microns		Measured	
Other – Specify									

Attachment Number 001

Attachment Name
Structure_DP-111_SANITIZED

Associated PMN Section Number Pt.I, Sec.B, 1e.

Does not contain CBI

Attachment Number 002

Attachment Name

Manufacturing process flow diagram SANITIZED

Associated PMN Section Number Pt.2, Sec.A, 1d.

Does not contain CBI

Attachment Number 003

Attachment Name
Use Process Flow Diagram DP-111 SANITIZED

Associated PMN Section Number Pt.2, Sec.B, 1a.

Does not contain CBI

Attachment Number 004

Attachment Name
IES Report DP-111 SANITIZED

Associated PMN Section Number Pt.I, Sec.B, 1c.

Does not contain CBI

Attachment Number 005

Attachment Name
DP-111 Infrared spectrum SANITIZED

Associated PMN Section Number N/A

Does not contain CBI

Attachment Number 006

Attachment Name

DP-111 Thermogravimetric analysis spectrum SANITIZED

Associated PMN Section Number N/A

Does not contain CBI

Attachment Number 007

Attachment Name
DP-111 MSDS

Associated PMN Section Number N/A

Does not contain CBI

Attachment Number 008

Attachment Name
Particle size distribution

Associated PMN Section Number

Worksheet: Particle size distribution

Does not contain CBI

File: Std Rev FINAL P-13-0690 10-30-2014

PM: Jesse Miller, 564-2976

RAD Dispo. 05/28/2014 TI: M. Johnson, 564-8924

Limited Standard Review Risk Assessment of P-13-0690

SUMMARY	2
I. BACKGROUND	2
I.A. Regulatory History	2
I.B. Chemical Identity	2
I.C. Outcome of Analogous Case	
I.D. Test Data Submitted (Up-front testing)	4
I.E. Focus Decision	
II. TOXICITY / HAZARD SUMMARIES	4
II.A. Human Health Summary	4
II.A.1. Absorption/Metabolism	4
II.A.2. Human Health Effects of Concern	4
II.B. Human Health Toxicity	5
Rat 28-day Oral (Diet) Toxicity Test	5
II.C. Environmental (Aquatic) Hazard Summary	5
III. EXPOSURES AND SURFACE WATER RELEASES	6
III.A. Occupational Exposures	
III.B. General Population Exposures	6
III.C. Surface Water Releases	6
IV. RISK ASSESSMENT	6
IV.A. Human Health Risk Discussion	6
IV.A.1. Effects Level Used to Determine Risk	6
IV.A.2. Occupational Risk Discussion	6
Table 1. Occupational Exposure MOEs Using the Rat Oral NOAEL	7
Table 2. NCEL Calculation Using the Rat Oral NOAEL of 35.2 mg/kg-bw/day	8
V. CONCLUSIONS	8
V.A. Human Health Conclusions	8
V.A.1. Occupational Health Conclusion.	8
V.A.2. General Population Conclusion.	8
V.B. Environmental / Aquatic Conclusion	
VI. RECOMMENDATIONS	
LIST of ATTACHMENTS	10

SUMMARY

MOEs are calculated using the Rat 28-day oral (diet) NOAEL of 35.2 mg/kg-bw/d (females) with a close analog, based on hematological changes (seen in females only). Adjustments for differences in route absorption are not necessary in this case because both inhalation and ingestion routes have an absorption rate of 2%. Occupational inhalation risk is not supported when exposure values are compared to the oral NOAEL. Dermal risk is not calculated because absorption through the skin is expected to be 0%. Risks to the General Population and to the environment are not supported based on no water releases. No testing or PPE are recommended based on the prediction of no risk to any population or to the environment.

I. BACKGROUND

I.A. Regulatory History

Submitter: JJI Technologies, LLC

RAD Dispo: 09/25/2013 Day 90: 06/06/2014

I.B. Chemical Identity

(Per Chemistry Report 12/19/2013, attached)

Chem. Name:

CAS RN: Trade Name: DP-111

MW:

PV: kg/year max

Use: Flame retardant for plastics, mainly polyamides and polyesters used in

electrical and electronic parts.

P2 Claim: The substance is a substitute for brominated, antimony-based and red

phosphorous-based flame retardants.

Mfg /Import: Mfg PBT Calls P3 B1 T2

Physical States

Neat: Solid (crystalline)

Mfg: Solid

Processing: Solid: PMN substance blended into plastic

End Use: Solid: PMN substance entrained in plastic

Chemical Categories

Health Respirable Poorly Soluble Particulates

Ecotox SAR

& Category: Aluminum salts; Aluminum compounds



I.C. Outcome of Analogous Case

(structure above right) was submitted by for use as a . It was Banned Pending Up-Front under the Risk based authority for ecotoxicity concerns in accordance with TSCA section 5(e) Chemical Category (Aluminum Compounds).

Physical / Chemical Properties Affecting Releases and Exposures

(Fate Summary from Focus Report 07/29/2013, attached)

Solid with MP = decomposes >320 C (M)

 $S 6.4 g/L (M)^{1}$

VP < 1.0E-6 torr at 25 C (E)

H < 1.00E-8 (E)

POTW removal (%) = 90-99 via sorption, 99.9 via incineration

Time for complete ultimate aerobic biodeg > mo

Sorption to soils/sediments = strong

PBT Potential: P3B1

Migration to ground water = negl

NOTE: Average particle size information indicates 50% is 10 microns (µm) or less and is respirable. As a result the estimated occupational inhalation doses will be reduced by 50%. (Per Focus Report, attached).

Manufacturing and Processing Information:

(Per Chemistry Report 08/26/2013, Process Description section attached)



¹ **NOTE** that this measured value is high for this type of chemical however the submitter stands by this value and the WS test has been reviewed by the Chemist, Justin Roberts, who believes that the test is valid.

Std Rev FINAL P-13-0690 10-30-2014

I.D. Test Data Submitted (Up-front testing)

(Per Focus Report, attached)

No test data were submitted with this PMN however the studies listed below were submitted with a similar case, P (structure on page 3):

- Negative in Salmonella and E coli with and without activation;
- Negative for chromosome aberrations with and without activation;
- Acute oral study in rats, 2 groups of 3 females each, dosed with 2000 mg/kg-bw, no deaths but hunched posture, piloerection and brown staining in the litter tray were noted up to Day 2 in the 2nd group, with complete recovery by Day 3;
- No skin sensitization in Guinea pigs using the Magnusson-Kligman assay at 50% concentration; and
- Rat 28-day oral (diet) (OPPTS 870.3050, OECD 407) NOAELS = 300 ppm (35.2 mg/kg-bw/d) in females based on blood changes.

NOTE: The measured water solubility of , the analog with data, is 24 g/L.

I.E. Focus Decision

(Per Focus Report attached)

P-13-0690 will be placed into a limited standard review for human health risks. As with this PMN will be regulated under the TSCA 5(e) category (Aluminum Compounds) Ban Pending-Up Front Testing under the risk-based authority for ecotoxicity concerns. The substance will also be regulated under the exposure-based authority for human health and ecotox concerns.

II. TOXICITY / HAZARD SUMMARIES

II.A. Human Health Summary

II.A.1. Absorption/Metabolism

(Per Leonard Keifer memo, attached)

Based on ATSDR Toxicological Profile for Aluminum, 2008, the absorption rates are Dermal: Insufficient data [assume 0%]; GI tract: 2% (worst case) based on water soluble aluminum compounds; and Lung: 2% based on airborne soluble aluminum compounds.

II.A.2. Human Health Effects of Concern

(Per Focus Report attached)

SAT expressed concerns for <u>blood toxicity</u> based on the 28-day dietary study in rats. SAT also expressed concerns for <u>hypersensitivity</u>, <u>developmental / neurotoxicity</u>, <u>lung effects</u> (uncertain), <u>immunotoxicity</u>, and <u>sensitization</u>. Per USEPA, OAR (attached) there are also <u>particulate concerns</u> for the 50% of the PMN that is respirable, including heart attacks, asthma, reduced lung function, and respiratory symptoms (coughing and difficulty breathing)².

Based on the presence of Aluminum (and assuming the Aluminum is bioavailable) there are concerns for: (1) lung effects (asthma-like symptoms, known as potroom asthma and

² U.S. EPA Office of Air and Radiation, Health Effects of Particulate Matter http://www.epa.gov/airquality/particulatematter/health.html

impaired lung function); (2) neurological effects (loss of coordination and memory); and (3) dermatitis³.

Particle size information indicates that about 50% is 10 microns or less and is respirable. Low / moderate concern was identified at SAT.

II.B. Human Health Toxicity

Rat 28-day Oral (Diet) Toxicity Test (OPPTS 870.3050, OECD 407) Using

(Per Review of 28-Day Oral Toxicity Study, V. Morozov, RAD, 05/21/2014 attached)

In a 28-day oral (diet) toxicity study

95.7% pure) was administered to Wistar rats (5 animal/sex/group) in the diet for 4 weeks at doses of 0, 100, 300 and 1000 ppm, equal to compound intake of 0; 9.9; 27.8 and 86.9 mg/kg body weight/day for males and 0; 11.4; 35.2 and 121.2 mg/kg body weight/day for females. A satellite group of animals from the control and high dose group were allowed to continue on study post exposure for two weeks (recovery group). There were no compound related effects on mortality or clinical signs. However, males in high dose group (86.9 mg/kg/day) showed statistically significant decrease of body weight gain during recovery period that was related to a decrease in food consumption. Hematological and clinical chemistry changes showed increase in Platelet Count, Mean Corpuscular Hemoglobin Concentration, and decrease in Hematocrit in females at dose 121.2 mg/kg/day. Authors of this study determined the NOAEL value for females at 300 ppm equal to 35.2 mg/kg body weight/day based on blood effects.

II.C. Environmental (Aquatic) Hazard Summary

There will be no water releases as a result there will be no environmental exposure or risk. However because a Chronic COC is needed for a water-trigger, the Ambient Water Quality Criteria for Aluminum⁴ (attached) will be used to provide the Chronic COC.

Chronic COC is equivalent to the Criterion Continuous Concentration (CCC) which is an estimate of the highest concentration of a material in surface water to which an aquatic community can be exposed indefinitely without resulting in an unacceptable effect. The Acute COC is equivalent to the Criteria Maximum Concentration (CMC) is an estimate of the highest concentration of a material in surface water to which an aquatic community can be exposed briefly without resulting in an unacceptable effect. The CCC and CMC are just two of the six parts of an aquatic life criterion; the other four parts are the acute averaging period, chronic averaging period, acute frequency of allowed exceedence, and chronic frequency of allowed exceedence. Because 304(a) aquatic life criteria are national guidance, they are intended to be protective of the vast majority of the aquatic communities in the United States (Per Kendra Moran, RAD, PC, 05/19-2014).

The CCC for Aluminum at pH 6.5 to 9.0 is 87 µg/L or ppb.

⁴ U.S. EPA National Recommended Water Quality Criteria for Aluminum http://water.epa.gov/scitech/swguidance/standards/criteria/current/index.cfm

_

³ Human Health Risk Assessment for Aluminium, Aluminium Oxide, and Aluminium Hydroxide. Krewski D, et al., Journal of Toxicology and Environmental Health, Part B, Vol. 10, Iss. sup1, 2007

III. EXPOSURES AND SURFACE WATER RELEASES

III.A. Occupational Exposures

(Per Engineering Report 8/12/2013 attached)

Manufacturing at Dermal*: 3.1E+3 mg/day (100% Solid)
Inhalation (Particulate): 19 mg/day

Use at Dermal*: 3.1E+3 mg/day (100% Solid)

There are 2 different exposure scenarios for inhalation
• Inhalation (Vapor): 19 mg/day

*NOTE: Dermal absorption is expected to be 0%, as a result Dermal MOEs are not

III.B. General Population Exposures

(Per Exposure Report 02/26/2014, pg. 1 attached)

The General Population will not be exposed via Drinking Water or Fish Ingestion because there will be no water releases.

III.C. Surface Water Releases

The submitter has agreed to <u>no water releases</u>, per Jesse Miller, the Program Manager.

IV. RISK ASSESSMENT

IV.A. Human Health Risk Discussion

IV.A.1. Effects Level Used to Determine Risk

Analog Data

calculated.

The effect level used to determine occupational and general population risk is the rat 28-day oral (dietary) study that was submitted with the study supported a NOAEL of 300 ppm (35.2 mg/kg-bw/d) in females based on blood changes. This value will be used to calculate Human Health Margins of Exposure (MOEs).

IV.A.2. Occupational Risk Discussion

Analog Data

When the occupational exposure levels are compared to the rat 28-day oral (diet) NOAEL of 35.2 mg/kg-bw/d (females) with based on hematological changes in females (see Table 1) the calculated MOEs of 19 indicate that workers will be at risk for hematological effects from inhalation of the PMN substance during Manufacturing and Use for hematological changes.

A New Chemical Exposure Limit (NCEL) of 2.8 mg/m³ is calculated (see Table 2) using the female rat 28-day oral (diet) NOAEL of 35.2 mg/kg-bw/d with based on hematological changes.

Table 1. Occupational Exposure MOEs Using the Rat Oral NOAEL of 35.2 mg/kg-bw/day (in Females) with

Table 1. Occupation	nal Exposui (females			P-13-0690 Usinclude hem	•	•			of 35.2 m	g/kg-bw/d
	Per	Exposure	Avg BW*		3	NOAEL	NOAEL		argin of	
	Day	Route	All Adult	s PMN		Dose	Route	E	xposure	"Fold"
Exposure Scenarios	Dose#	Absorption	n 80	Dose		(mg/kg-	Absorptio	n (ľ	NOAEL/	Factor^^
and Values*	(mg/day)	Factor^	(kg)	(mg/kg-bw/	day)	bw/day)	Factor^	PΝ	(IN Dose)	(100/MOE)
Manufacturing:										
Dermal-2-Hand Derma calculated	ıl Contact wit		E: Dermal a	bsorption is	•		as a result I	Dermal	MOEs ar	e not
InhalParticulate	19	x 2%	÷ 80	= 0.00	÷ into->	35.2	x 2%	=	148	1
Use as Flame Retarda	ant in Extru	ded Plastics:								
Dame al Illah Frak NOT	T D			L - 00/				11-4-	.1	
Dermal-High End NOT										1
InhalVapor *Inhalation and Dermal	dosos aro fr	x 2%	÷ 80	= 0.005	÷ into->	35.2	x 2%	= mSTEE	148 D Assur	nntion is an S
hr day.	doses are ii	om the Engine	cring repor	i daled 112312	ors and a	e generale	d dailig Che	IIIJILL	.iv. Assuii	
^Absorption rates for the	e specific ext	oosure route e	xpressed as	a percentage.	Absorption	n rates are	GI 2%. Luna	2%, Sk	in 0% (Pe	r L.Keifer)
**USEPA 2011. Expos			-		-		-			
Recommended Values	for Body We	eight http://www	w.epa.gov/no	cea/efh/pdfs/ef	h-chapter0	8.pdf				
^^Fold factor = value to	be applied to	o bring INHAL	ATION MOE	up to accepta	ible level, ι	used by the	CEB Indust	rial Hyg	enist to de	termine
respirator recommenda										
For a NOAEL-based as	ssessment th	ie acceptable N	MOE is ≥ 10	0						

Table 2. NCEL Calculation Using the Rat Oral NOAEL of 35.2 mg/kg-bw/day (in Females) with P-09-0553

Source: US EPA, OPPT, Response to External Comments on New Chemical Exposure Limits in Toxic Substances Control Act Sec 5 (e) Orders, http://www.epa.gov/oppt/newchems/pubs/ncelresp.pdf

	Calculation of a New Chemical Exposure Limit (NCEL) for Non-Cancer Effects													
NOAEL		Uncertainty Factor*		Permissible Daily Dose		Avg Adult BW 80 (♂ & ♀)		Permissible Amt per Person per Day		Internal Amount per Person per Day		Air vol. inhaled in 8 hr work shift		NCEL
mg/kg-bw/d	t	unitless		mg/kg-d		kg		mg/day		mg/day		m3		mg/m3
35.2	÷ by	100	=	0.352	Х	80	=	28.16	=	28.16	÷ by	10	=	2.816

(Indiv. Variability of 10)(Inter Sp. Extrapolation of 10)=100

Steps in Calculating a NCEL using an Inhalation NOAEL

- 1. The experimental Inhalation NOAEL in mg/kg-bw/day (converted from a NOEC) is divided by an uncertainty factor to give the Permissable Daily Dose in mg/kg-bw/day.
- 2. The Permissable Daily Dose is multiplied by BW to give the Permissible Amount per Person per Day in mg/day. This is the same as the Internal Amount per Person per Day since the absorption rates are the same for the NOAEL and NCEK (i.e., inhalation).
- 3. The Internal Amount per Person per Day is divided by 10 m3 which is the air volume inhaled in 8 hr work shift which gives the NCEL in units of mg/m3 per day.

IV.A.3. General Population Risk Discussion

The General Population will not be at risk via Drinking Water or Fish Ingestion because there will be no water releases.

IV.B. Environmental Risk Discussion

Risk to aquatic organisms is not supported based on no water releases.

V. CONCLUSIONS

V.A. Human Health Conclusions

V.A.1. Occupational Health Conclusion

When the occupational exposure values are compared in Table 1 to the rat 28-day oral (diet) NOAEL of 35.2 mg/kg-bw/d acceptable Margins of Exposure (MOEs = 148) are calculated indicating that workers will not be at risk of hematological changes from exposure to the PMN substance during Manufacturing and Use.

Dermal absorption is expected to be 0%, as a result <u>dermal risk is not expected</u>.

V.A.2. General Population Conclusion

General Population risk is not supported.

V.B. Environmental / Aquatic Conclusion

Risk to the aquatic environment is not supported.

VI. RECOMMENDATIONS

No testing or PPE are recommended based on the prediction of no risk to any population or to the environment.

LIST of ATTACHMENTS

Chemistry Report, 12/19/2013	Page A-1
Focus Report, 07/29/2013	A-3
Chemistry Report Standard Review, Justin Roberts, EETD, 08/26/2013	A-10
Absorption Memo, L. Keifer, RAD 03/13/2014	A-13
U.S. EPA Office of Air and Radiation, Health Effects of Particulate Matter http://www.epa.gov/airquality/particulatematter/health.html	A-14
Review of 28-Day Oral Toxicity Study, V. Morozov, RAD, 05/21/2014	A-15
U.S. EPA National Recommended Ambient Water Quality Criteria for Aluminum	A-23
Engineering Report, 08/12/2013	A-24
Exposure Report, 02/26/14	A-30
ATSDR (Agency for Toxic Substances and Disease Registry), U.S. HHS (Health an Human Services) Toxicological Profile for Aluminum (09/2008) pages 246-249	

Briefing Paper

Case Number: P-13-0690

Part I: Background Data

Program Manager: Jesse Miller Technical Integrator: Maggie Johnson

Review Team:

CCD Options Date: 07/10/2014 CCD Dispo Date:

DD Meeting Date: Day In Process: 90

Day 90: 11/13/2014

A. CBI Claims:

B. Submitter: JJI Technologies, LLC

C. Chemical Identity:

D. Chemical Class:

Health: Respirable Poorly Soluble Particulates

Ecotox: aluminum salts;

E. Structure:



F. Physical/Chemical properties:

VP: Measured Torr @ 25 C

Est. < 0.000001 Torr @ 25 C

s-H2O: Measured g/L
MW:
Phys State: Neat: Solid
Manufacturing: Solid

Process/Form: Solid: PMN substance blended into plastic

End Use: Solid: PMN substance entrained in plastic

G. Volume: kg/yr

H. Use: Flame retardant for plastics, mainly polyamides and polyesters used in electrical and electronic

parts. No references found. P2 Claim: P2REC: CRSS: forward. P2 Claim: The substance is a substitute for brominated, antimony-based and red phosphorous-based

flame retardants.

I. Test Data Submitted: TOXICITY DATA for

negative in Salmonella and E coli with and without activation negative for chromosome aberrations with and without activation

acute oral study in rats - no deaths at 2000 mg/kg

no skin sensitization in guinea pigs using the Magnusson-Kligman assay at 50% concentration rat 28-day oral (diet) NOAEL = 300 ppm (35.2 mg/kg/d) in females and > 1000 ppm (86.9

mg/kg/d) in males, possible blood effects in females at 1000 ppm (121.2 mg/kg/d)

J. MSDS:

MSDS: Yes Label: No

General equipment: Use process enclosure, local exhaust ventilation, or other engineering controls to control

airborne levels. Wear appropriate protective eyeglasses or chemical safety goggles as

described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Wear appropriate gloves to prevent skin exposure.

Respirator: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2

requirements or European Standard EN 149 must be followed whenever workplace conditions

warrant a respirator's use.

Health Effects: May be harmful if inhaled. May cause eye and skin irritation. May cause respiratory and digestive tract irritation.

K. SAT Ratings:

Human Health: 1-2; **Environment:** 2;

L. Focus Results:

P-13-0690 will be placed into a limited standard review with a T.I. and full team for human health risks. This PMN will also be regulated under the TSCA 5(e) category (aluminum compounds) Ban Pending-Up Front Testing under the risk-based authority for ecotoxicity concerns. The substance will also be regulated under the exposure-based authority for human health and ecotox concerns. Human health hazard concerns were low-moderate for inhalation exposures. Potential risks to workers were based on submitted test data for an analog substance) and SAR analysis for respiratory poorly soluble particulates. The standard review will look at the analog test data to base the risk assessment. Ecotoxicity hazard concerns were moderate based on SAR predictions for aluminum salts. Chronic risks to the environment were high due to releases to water where the chronic COC of 82 ppb was exceeded 104/ (SWC: 1,109.06 ppb) during manufacturing operations and 17/ days (SWC: 2,396.23 ppb), 22 days (SWC: 981.13 ppb), and 41/200 days (SWC: 216.98 ppb) during use operations. Acute risks to the environment were high due to releases to water where the SWCs of 1109.06 ppb during manufacturing operations and 2,396.23 ppb during use operations exceeded the acute COC of 1,050 ppb. The required ecotoxicity testing will be the chronic base set Fish early-life stage toxicity test (OPPTS 850.1400), Daphnid chronic toxicity test (OPPTS 850.1300), and Algal toxicity test (OCSPP 850.4500). The Fish-early life state toxicity test and Daphnid chronic toxicity test will use flow-though methods while the Algal toxicity test will use static methods. Difficult to test guidelines (OECD 23) must be followed.

This case met

. No CEB exposure-based criteria were met. The following EAB exposure-based criteria were met: Inhalation Dose (5.02E-03 mg/kg/day), Surface Water Release After Treatment (2.29E+03 kg/yr), Total Release After Treatment (2.29E+04 kg/yr). No fate testing was recommended.

The PMN submission provided information for consideration of P2 recognition, however, the Focus group did not support forwarding the chemical for consideration based on the regulatory outcome.

COC: Chronic - 82 ppb, Acute - 1,050 ppb

Summary of Exposures and Releases

Manu

Inhalation (Particulate): 1.5E+2 mg/day

Dermal; (100% Solid)

Releases to Water: kg/site-day over Or Air or Incineration or Landfill

Releases to Water: kg/site-day over days/yr

Or Incineration or Landfill

Fate Releases to Water (Removal Rate 90%):


SWC: 1109.06 ppb

DW: LADD: 4.82E-04 mg/kg/day; ADR: 5.35E-02 mg/kg/day

>COC (82 ppb) 104/ days/year

Fate Releases to Air

Stack Air: LADD: 3.10E-03 m/kg/day, ADR: 7.35E-02 mg/kg/day Fugitive Air: LADD: 5.02E-03 m/kg/day, ADR: 3.00E-01 mg/kg/day



Part II: New Information

From 6/10/briefing:

Much debate centered around the solubility of the PMN substance. The estimated soubility in the initial review chem report was < 0.1 g/L. However, it was thought that the the material would be insoluble and the company was asked to perform a solubility study. The submitter determined that the solubility of the PMN substance was 6.4 g/L. Nobody believed this number, but after reviewing the data, the chemist deemed the study to be acceptable.

The company addressed all their water releases.

RAD's Conclusion

MOEs are calculated using the Rat 28-day oral (diet) NOAEL of 35.2 mg/kg-bw/d (females) with a close analog, based on hematological changes (seen in females only). Occupational inhalation risk is also calculated using the NIOSH REL of 5 mg/m³ (respirable portion) for exposure to Aluminum dust. Occupational inhalation risk is supported when exposure values are compared to **both** effects levels. A New Chemical Exposure Limit (NCEL) of 2.8 mg/m³ is calculated using the female rat 28-day oral (diet) NOAEL of 35.2 mg/kg-bw/d. Dermal risk is not calculated because absorption through the skin is expected to be 0%. Risks to the General Population and to the environment are not supported based on no water releases.

RAD'S RECOMMENDATIONS:

Human Health Recommendations

Workers should wear personal protective equipment, specifically a particulate respirator that is adequate to bring the MOEs up to the protective level of ≥100. Note that the Fold Factor for inhalation exposure as compared to the rat 28-day oral (diet) NOAEL is 3 (Table 1) and the Fold Factor for inhalation exposure as compared to the NIOSH REL is 23 (Table 3).

Testing Recommendations

Based on supported occupational inhalation risk and occupational inhalation exposures of longer duration (Mfg = and Use = and

Newer Information:

RAD decided that the NIOSH REL for aluminum dust was not appropriate for this case since the PMN substance is not and is soluble in water. RAD also recalculated the fold factor for inhalation exposure to be 5 using the rat 28-day oral NOAEL.

New Newer Information

The worker inhalation exposure in RAD's Risk assessment was changed from 150 mg/day to 19 mg/day in order to be consistent with the Standard review engineering report. There is no longer an inhalation risk to workers. Also, the chronic CoC was changed form 82 ppb to 87 ppb based upon the Ambient Water Quality Criteria for Aluminum.



The PM recommends that this case be dropped with a Non-5(e) SNUR with:

- 1. Water trigger of 87 ppb
- 2. worker protection respirator with an APF of 10
- 3. recommended testing: 90 day inhalation Toxicity Test OPPTS 870.3465 or OECD 413 and the chronic base set.

Part IV: Risk Summary

A. Health Effects:

Absorption is nil all routes based on physical/chemical properties. However, caused effects in a 28-day oral study in rats and was given an absorption call of nil through the skin but absorbed through the lungs and GI tract. The water solubility for its stated to be much higher than the water soubility for this material (24 g/L vs < 0.1 g/L). If absorption is nil through the lungs, then there is concern for lung efects if respirable particles are inhaled base don information for poorly soluble respirable particulates. If the PMN material is analogous to the second properties are inhaled based on the 28-day dietary study in rats and concern for hypersensitivity, developmental neurotoxiicty, and immunotoxicity if AI is bioavailable. Particle size information indicates that about 50% is 10 microns or less. Low moderate concern.

B. Environmental Effects:

Ecotox: predicted (P) and measured (M) toxicity value is mg/L (ppm) are: Fish 96-h LC50: 90(P) Daphnid 48-h LC50: 47(P) Green algal 96-h EC50: 4.2(P) Fish Chronic Value: 27(P) Daphnid ChV: 7.9(P) Algal ChV: 0.82(P)C. Environmental Releases and Exposures: D. Risk Estimates: Part V: **Exposure Criteria Met** ● Yes ○ No **Exposure Based Review (Chemistry): Exposure Based Review (Health):** ● Yes ○ No ● Yes ○ No ● Yes ○ No **Exposure Based Review Exposure Based Review (Ecotox):** (Occupational): Exposure Based Review (Non-Occupational): Yes No **Exposure Based Review** ● Yes ○ No (Environmental): Part VI: Tests **Final Testing Recommendation** Health: Eco: Fate: Other: Comments: Part VII: Other Factors A. Substitutes: B. Benefits: C. Other Uses: None found. D. Other:

Part VIII: Regulatory History						
-Consent order						
Comments:						
	_					
Last Updated by						
Document Created by Jesse Miller on 06/10/2014						

SAT Report

PMN Number: **P-13-0690** SAT Date: **7/19/2013** Print Date: **4/22/2015**

Related cases:

Health related cases:

Ecotox related cases: Similar Case

Concern levels:

Type of Concern: <u>Health</u> <u>Eco</u> <u>Comments</u>

Level of Concern: 1-2 2

PersistenceBioaccumToxicityComments312

Exposure Based Review:

Health: Yes **Ecotox:** Yes

Routes of exposure: Health: Inhalation

Ecotox: All releases to water

Fate: ;

P2Rec Comments:

Comment: Forward

Keywords:

Keywords: UNCERT-LUNG/BLOOD/SENS/DEVEL-NEURO/IMMUNO,

AQUATOX-A,

Summary of Assessment:

Fate:

Fate Summary: P-13-0690

FATE:

Solid with MP = Dec. > 320 C (M)

 $S < 100 \ mg/L$ at 25 C (M)

VP < 1.0E-6 torr at 25 C (E)

H < 1.00E-8 (E)

POTW removal (%) = 90-99 via sorption Time for complete ultimate aerobic biodeg > mo Sorption to soils/sediments = strong

PBT Potential: P3B1

*CEB FATE: Migration to ground water = negl

Health:

Health Summary: Absorption is nil all routes based on physical/chemical
properties. However,
28-day oral study in rats and was given an absorption call of nil through the skin but absorbed
through the lungs and GI tract. The water solubility for
than the water soubility for this material ($vs < 0.1 \text{ g/L}$). If absorption is nil through the
lungs, then there is concern for lung efects if respirable particles are inhaled base don
information for poorly soluble respirable particulates. If the PMN material is analogous to
, there is concern for blood toxicity based on the 28-day dietary study in rats and
concern for hypersensitivity, developmental neurotoxiicty, and immunotoxicity if Al is
bioavailable. Particle size information indicates that about 50% is 10 microns or less. Low
moderate concern.

rest Data: TOXICITY DATA for negative in Salmonella and E coli with and without activation negative for chromosome aberrations with and without activation acute oral study in rats - no deaths at 2000 mg/kg no skin sensitization in guinea pigs using the Magnusson-Kligman assay at 50% concentration rat 28-day oral (diet) NOAEL = 300 ppm (35.2 mg/kg/d) in females and > 1000 ppm (86.9 mg/kg/d) in males, possible blood effects in females at 1000 ppm (121.2 mg/kg/d)

Ecotox:

Test Organism	Test	Test End	Predicted	Measured	Comments
_	Type	Point			
fish	96-h	LC50	90		
daphnid	48-h	LC50	47		
green algal	96-h	EC50	4.2		
fish	_	chronic value	27		
daphnid	_	chronic	7.9		
		value			
algal	_	chronic	0.82		
		value			
Sewage Sludge	3-h	EC50	_		
Sewage Sludge	_	Chronic	_		
		Value			

Ecotox Values Comments: Predictions are based on SARs for inorganic aluminum compounds; SAR chemical class = aluminum salt(M); pH7; effective concentrations based on 100% active ingredients and mean measured

concentrations; hardness <150.0 mg/L as CaCO3; and TOC <2.0 mg/L;

Factors	Values	Comments
Assessment Factor	10	
Concentration of Concern	82	
(ppb)		
SARs	aluminum salts	
SAR Class		
Ecotox Category	Aluminum Compounds	

Ecotox Factors Comments:

SAT Chair: Becky Jones